

**1974
TUBERCULOSIS
STATISTICS:
STATES AND CITIES**

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
CENTER FOR DISEASE CONTROL
BUREAU OF STATE SERVICES
TUBERCULOSIS CONTROL DIVISION
ATLANTA, GEORGIA 30333

Copies are available from:

Center for Disease Control
Attn: Tuberculosis Control Division
Bureau of State Services
Atlanta, Georgia 30333

CONTENTS

	<i>Page</i>
INTRODUCTION	1
TUBERCULOSIS CASES IN 1974	
<i>United States Summary Table:</i>	
1. New Active Tuberculosis Cases and Deaths, 1953-1974	2
<i>State Tables:</i>	
2. Cases and Case Rates, 1974 and 1973	3
3. Cases by Age, 1974	4
4. Case Rates by Age, 1974	5
5. Cases by Race and Sex, 1974	6
6. Case Rates by Race and Sex, 1974	7
7. Cases Found at Time of Death, 1974	8
8. Cases by Form and Extent, 1974	9
9. Pulmonary Tuberculosis by Extent of Disease, 1974	10
<i>City Tables:</i>	
10. Cases and Case Rates (Cities of 250,000 + Population), 1974	11
11. Cases and Case Rates (Cities with 100,000-250,000 Population), 1974	12
12. Cases by Age (Cities of 250,000 + Population), 1974	14
13. Cases by Race and Sex (Cities of 250,000 + Population), 1974	15

INTRODUCTION

Tuberculosis morbidity and mortality data and information on hospital facilities are completed at various times throughout the year. In order to provide information as early as possible, tuberculosis statistics are published as data become available. This report is a summary of 1974 tuberculosis case data for states and cities.

Definitions

Cases, as the term is used in this report, relate to active tuberculosis cases not previously reported.

Deaths from tuberculosis are identified in the cause-of-death statistics, published by the National Center for Health Statistics.

Rate, either case rate or death rate, is the number per 100,000 population.

Sources of Data

Morbidity: Annual Tuberculosis Reports, CDC 5.1393, were submitted to the Center for Disease Control by each state health department and by health departments of cities with 250,000 or more population. State reports included limited data for all counties within each state (to be analyzed later) and for cities of 100,000 or more population.

Mortality: Official tuberculosis mortality statistics for the United States are compiled by the National Center for Health Statistics.

Population: State population estimates are from the Bureau of Census, Current Population Reports, Series P-25, No. 533, October 1974. Age, race and sex population estimates for individual states were prepared by the Tuberculosis Control Division (CDC), taking into account estimates of the Bureau of the Census. For cities, population estimates were obtained mainly from the respective local and state authorities.

TABLE 1
New Active Tuberculosis
Cases and Deaths,
United States, 1953-1974

Year	New Active Cases				Tuberculosis Deaths			
	Number	Rate	% Change		Number	Rate	% Change	
			Number	Rate			Number	Rate
1953	84,304	53.0	19,707	12.4
1954	79,775	49.3	-5.4	- 7.0	16,527	10.2	-16.1	-17.7
1955	77,368	46.9	-3.0	- 4.9	15,016	9.1	- 9.1	-10.8
1956	69,895	41.6	-9.7	-11.3	14,137	8.4	- 5.9	- 7.7
1957	67,149	39.2	-3.9	- 5.8	13,390	7.8	- 5.3	- 7.1
1958	63,534	36.5	-5.4	- 6.9	12,417	7.1	- 7.3	- 9.0
1959	57,535	32.5	-9.4	-11.0	11,474	6.5	- 7.6	- 8.5
1960	55,494	30.8	-3.5	- 5.2	10,866	6.0	- 5.3	- 7.7
1961	53,726	29.4	-3.2	- 4.5	9,938	5.4	- 8.5	-10.0
1962	53,315	28.7	-0.8	- 2.4	9,506	5.1	- 4.3	- 5.6
1963	54,042	28.7	+1.4	0.0	9,311	4.9	- 2.1	- 3.9
1964	50,874	26.6	-5.9	- 7.3	8,303	4.3	-10.8	-12.2
1965	49,016	25.3	-3.7	- 4.9	7,934	4.1	- 4.4	- 4.7
1966	47,767	24.4	-2.5	- 3.6	7,625	3.9	- 3.9	- 4.9
1967	45,647	23.1	-4.4	- 5.3	6,901	3.5	- 9.5	-10.3
1968	42,623	21.3	-6.6	- 7.8	6,292	3.1	- 8.8	-11.4
1969	39,120	19.4	-8.2	- 8.9	5,567	2.8	-11.5	- 9.7
1970	37,137	18.3	-5.1	- 5.7	5,217	2.6	- 6.3	- 7.1
1971	35,217	17.1	-5.2	- 6.6	4,501	2.2	-13.7	-15.4
1972	32,882	15.8	-6.6	- 7.6	4,376	2.1	- 2.8	- 4.5
1973	30,998	14.8	-5.7	- 6.3	3,875	1.8	-11.4	-14.3
1974	30,122	14.2	-2.8	- 4.1	3,770*	1.8	- 2.7	0.0

*Provisional. Deaths for 1974 are based on the NCHS ten percent sample.

TABLE 2
*Tuberculosis Cases
 Found at Time
 of Death,
 States, 1975*

State	Total Cases	Cases Found at Death*	
		Number	Percent of Total Cases
United States	33,989	1,252	4.3
Alabama	780	19	2.4
Alaska	74	2	2.7
Arizona	422	27	6.4
Arkansas	501	40	8.0
California	3,633
Colorado	220	14	6.4
Connecticut	240	16	6.7
Delaware	101	4	4.0
District of Columbia	382	35	9.2
Florida	1,758	123	7.0
Georgia	1,031	42	4.1
Hawaii	591	0	0.0
Idaho	36	3	8.3
Illinois	1,345	38	2.8
Indiana	607	51	8.4
Iowa	125	10	8.0
Kansas	194	9	4.6
Kentucky	642	26	4.0
Louisiana	593	34	5.7
Maine	78	1	1.3
Maryland	1,035	66	6.4
Massachusetts	719	41	5.7
Michigan	1,271	47	3.7
Minnesota	194	11	5.7
Mississippi	390	18	4.6
Missouri	550	45	8.2
Montana	94	4	4.3
Nebraska	40	3	7.5
Nevada	36	0	0.0
New Hampshire	30	6	20.0
New Jersey	1,271	33	2.6
New Mexico	146	9	6.2
New York	3,934	148	3.8
North Carolina	1,166	32	2.7
North Dakota	25	0	0.0
Ohio	1,200
Oklahoma	369	13	3.5
Oregon	194	4	2.1
Pennsylvania	1,540	56	3.6
Rhode Island	120	6	5.0
South Carolina	627	25	4.0
South Dakota	72	6	8.3
Tennessee	1,033	52	5.0
Texas	2,600	73	2.8
Utah	60	2	3.3
Vermont	31	0	0.0
Virginia	908	25	2.8
Washington	427	16	3.7
West Virginia	263	3	1.1
Wisconsin	264	12	4.5
Wyoming	27	2	7.4
Guam**	49	0	0.0
Puerto Rico**	480	12	2.5
U.S. Virgin Islands**	9	1	11.1

* For 48 reporting States and District of Columbia.

** Not included in totals.

(..) = Not available.

TABLE 3

*New Cases of Active
Tuberculosis by Age:
States, 1974*

State	Total	Under 5	5-14	15-24	25-44	45-64	65+	Age Not Stated
United States	30,122	1,225	1,005	2,470	8,013	10,151	7,035	223
Alabama	785	32	43	49	190	258	213	0
Alaska	101	5	4	14	41	22	13	2
Arizona	349	31	8	30	76	121	83	0
Arkansas	405	6	8	21	72	127	165	6
California	3,286	134	121	397	939	1,028	666	1
Colorado	171	6	8	26	53	47	25	6
Connecticut	278	4	9	23	82	90	68	2
Delaware	99	3	5	13	34	28	15	1
District of Columbia	351	3	13	24	108	133	70	0
Florida	1,460	59	35	100	391	570	305	0
Georgia	953	30	28	72	251	343	213	16
Hawaii	364	5	8	44	110	133	64	0
Idaho	38	5	2	2	9	11	8	1
Illinois	1,496	45	31	160	560	478	219	3
Indiana	598	32	25	46	139	175	152	29
Iowa	124	3	0	3	20	42	52	4
Kansas	159	7	6	10	29	57	47	3
Kentucky	619	10	11	31	110	232	225	0
Louisiana	475	13	6	44	132	174	94	12
Maine	91	3	2	3	19	31	31	2
Maryland	852	25	24	41	216	327	218	1
Massachusetts	650	20	13	51	195	221	149	1
Michigan	1,125	48	34	69	306	399	269	0
Minnesota	195	8	6	13	35	67	66	0
Mississippi	394	14	7	37	86	127	123	0
Missouri	564	64	17	33	101	164	175	10
Montana	88	4	3	5	27	21	28	0
Nebraska	41	2	0	0	10	19	8	2
Nevada	56	2	0	0	14	25	15	0
New Hampshire	32	4	0	2	10	7	9	0
New Jersey	1,012	40	26	86	324	349	184	3
New Mexico	195	21	9	20	51	49	45	0
New York	2,866	107	111	270	1,009	867	491	11
North Carolina	926	39	33	62	229	327	229	7
North Dakota	36	2	2	3	7	12	10	0
Ohio	1,141	32	36	69	250	430	292	32
Oklahoma	282	8	5	12	53	105	99	0
Oregon	207	5	4	14	43	89	52	0
Pennsylvania	1,552	42	36	84	340	569	465	16
Rhode Island	108	4	0	12	31	41	20	0
South Carolina	641	60	44	39	174	212	112	0
South Dakota	63	7	3	4	14	19	16	0
Tennessee	854	30	38	53	167	263	302	1
Texas	2,311	156	123	230	566	754	474	8
Utah	49	1	0	5	10	13	19	1
Vermont	23	0	0	1	2	10	10	0
Virginia	799	23	36	56	181	270	200	33
Washington	336	9	9	29	99	110	80	0
West Virginia	233	3	3	24	45	86	72	0
Wisconsin	265	7	8	32	51	88	72	7
Wyoming	24	2	2	2	2	11	3	2
Puerto Rico*	585	16	26	70	136	197	125	15

*Not included in totals.

TABLE 4
Tuberculosis Case
Rates by Race
and Sex,
States, 1975

State	Total	White			Other		
		Total	Male	Female	Total	Male	Female
United States	15.9	10.7	14.4	7.1	50.9	68.6	34.7
Alabama	21.6	13.4	18.4	8.6	44.2	64.0	26.8
Alaska	21.0	4.3	6.6	1.6	81.6	72.5	91.7
Arizona	19.0	13.2	19.0	7.6	73.0	92.4	54.5
Arkansas	23.7	20.9	29.7	12.5	35.4	47.4	24.8
California	17.1	14.3	18.6	10.2	37.1	46.2	28.3
Colorado	8.7	6.8	9.2	4.5	53.4	57.7	49.0
Connecticut	7.8	5.9	7.0	4.8	33.5	51.5	17.1
Delaware	17.4	9.8	13.7	6.0	60.9	90.5	33.3
District of Columbia	53.4	31.3	49.0	17.2	57.6	85.0	33.6
Florida	21.0	12.9	18.5	7.6	67.8	102.7	36.1
Georgia	20.9	12.2	17.6	6.9	45.2	64.0	28.7
Hawaii	68.3	5.1	6.1	3.9	108.3	108.2	108.4
Idaho	4.4	3.0	3.5	2.5	80.0	(62.5)	(100.0)
Illinois	12.1	8.2	11.1	5.5	33.9	49.4	20.2
Indiana	11.4	9.0	11.6	6.6	41.0	57.8	25.7
Iowa	4.4	3.8	6.0	1.7	37.8	27.3	47.8
Kansas	8.6	6.4	8.3	4.6	42.2	56.7	27.9
Kentucky	18.9	17.4	20.5	14.4	37.9	47.5	28.9
Louisiana	15.6	10.1	14.9	5.6	27.8	40.7	16.3
Maine	7.4	6.9	10.0	3.9	(75.0)	(60.0)	(100.0)
Maryland	25.3	14.4	18.5	10.4	71.1	95.5	48.4
Massachusetts	12.3	10.5	14.5	6.8	56.8	64.0	50.4
Michigan	13.9	8.2	11.8	4.7	54.5	78.9	31.7
Minnesota	4.9	3.7	4.7	2.7	68.4	81.1	56.4
Mississippi	16.6	12.5	19.9	5.4	23.3	32.9	14.7
Missouri	11.5	9.9	13.0	7.0	24.5	33.2	16.8
Montana	12.6	5.3	7.6	3.1	160.0	188.9	129.4
Nebraska	2.6	2.4	3.6	1.3	6.9	7.1	6.7
Nevada	6.1	5.4	9.1	1.5	13.7	15.4	12.0
New Hampshire	3.7	3.7	5.3	2.2	—	—	—
New Jersey	17.4
New Mexico	12.7	6.7	8.6	4.8	68.8	69.1	68.4
New York	21.7
North Carolina	21.4	10.3	14.9	5.9	58.2	83.1	35.4
North Dakota	3.9	2.8	2.6	3.0	40.0	40.0	40.0
Ohio	11.2	8.0	10.7	5.4	39.8	54.1	26.8
Oklahoma	13.6	10.6	16.2	5.2	37.6	47.2	28.9
Oregon	8.5	6.4	9.8	3.2	75.4	94.1	57.1
Pennsylvania	13.0	8.3	12.7	4.3	57.7	81.3	36.8
Rhode Island	12.9	11.4	15.6	7.5	51.4	55.6	47.1
South Carolina	22.2	9.4	14.3	4.5	51.9	74.9	30.9
South Dakota	10.5	2.8	4.4	1.2	135.0	173.7	100.0
Tennessee	24.7	21.8	26.9	17.0	39.8	51.6	29.4
Texas	21.2	18.9	23.8	14.1	36.7	50.8	23.7
Utah	5.0	4.0	5.5	2.5	43.3	62.5	21.4
Vermont	6.6	6.6	9.6	3.8	—	—	—
Virginia	18.3	10.1	12.3	7.9	53.8	73.3	35.2
Washington	12.0	8.6	12.2	5.0	79.3	97.8	60.0
West Virginia	14.6	13.4	18.0	9.1	43.7	64.7	24.3
Wisconsin	5.7	4.0	5.5	2.7	47.5	78.2	18.5
Wyoming	7.2	6.3	5.5	7.2	40.0	(33.3)	(50.0)
Guam*	10.9
Puerto Rico*	15.8	15.8	20.9	11.0
U.S. Virgin Islands*	49.0

* Not included in totals.

(..) = Not available.

Notes:

(1) Rates enclosed in parentheses have a population base under 10,000.

(2) Cases with race or sex not specified distributed proportionately.

(3) Rates for Guam and U.S. Virgin Islands are based on 1973 population estimates from the Bureau of the Census.

(4) Rates shown by sex for Puerto Rico are for all races.

TABLE 5
New Cases of Active Tuberculosis by Race and Sex:
States, 1974

State	Total	White			Other			Not Stated
		Total	Male	Female	Total	Male	Female	
United States	30,122*	15,448	10,224	5,224	10,320	6,731	3,589	476
Alabama	785	351	239	112	434	293	141	0
Alaska	101	15	15	0	85	45	40	1
Arizona	349	220	157	63	129	81	48	0
Arkansas	405	252	164	88	113	76	37	40
California	3,286	2,358	1,525	833	809	484	325	119
Colorado	171	118	75	43	46	28	18	7
Connecticut	278	184	125	59	77	53	24	17
Delaware	99	35	21	14	64	44	20	0
District of Columbia	351	41	29	12	306	195	111	4
Florida	1,460	746	522	224	689	487	202	25
Georgia	953	426	301	125	527	360	167	0
Hawaii	364	30	21	9	334	191	143	0
Idaho	38	23	18	5	15	8	7	0
Illinois	1,496	791	541	250	705	463	242	0
Indiana	598	422	268	154	176	109	67	0
Iowa	124	115	81	34	7	5	2	2
Kansas	159	114	80	34	33	25	8	12
Kentucky	619	518	310	208	101	71	30	0
Louisiana	475	191	139	52	278	186	92	6
Maine	91	87	56	31	4	2	2	0
Maryland	852	366	239	127	486	316	170	0
Massachusetts	650	534	359	175	116	77	39	0
Michigan	1,125	554	357	197	546	372	174	25
Minnesota	195	169	107	62	23	15	8	3
Mississippi	394	167	111	56	227	159	68	0
Missouri	564	370	249	121	168	105	63	26
Montana	88	34	24	10	54	31	23	0
Nebraska	41	31	24	7	10	5	5	0
Nevada	56	42	30	12	14	10	4	0
New Hampshire	32	32	19	13	0	0	0	0
New Jersey	1,012
New Mexico	195	104	71	33	91	47	44	0
New York	2,866
North Carolina	926	324	229	95	602	414	188	0
North Dakota	36	23	19	4	13	7	6	0
Ohio	1,141	619	366	253	363	226	137	159
Oklahoma	282	188	140	48	94	56	38	0
Oregon	207	177	123	54	30	16	14	0
Pennsylvania	1,552	952	628	324	600	392	208	0
Rhode Island	108	85	60	25	23	13	10	0
South Carolina	641	175	121	54	466	311	155	0
South Dakota	63	21	14	7	42	31	11	0
Tennessee	854	598	354	244	256	156	100	0
Texas	2,311	1,812	1,189	623	492	328	164	7
Utah	49	40	33	7	9	6	3	0
Vermont	23	23	13	10	0	0	0	0
Virginia	799	355	234	121	429	292	137	15
Washington	336	214	155	59	122	71	51	0
West Virginia	233	204	137	67	29	17	12	0
Wisconsin	265	176	122	54	81	51	30	8
Wyoming	24	22	10	12	2	1	1	0
Puerto Rico**	585	585	379	206

*Cases reported by New Jersey and New York were not identified by race and sex.

**Not included in totals. Figures shown by sex are for all races.

TABLE 6
Tuberculosis
Cases by
Age,
States, 1975

State	Total	Under 5	5-14	15-24	25-44	45-64	65+	Age Not Stated
United States	33,989	1,026	944	2,627	8,756	12,089	8,337	210
Alabama	780	29	35	57	155	255	249	0
Alaska	74	6	8	11	25	19	3	2
Arizona	422	11	11	30	83	158	129	0
Arkansas	501	13	3	20	71	154	237	3
California	3,633	150	117	462	1,057	1,123	723	1
Colorado	220	11	13	20	52	58	66	0
Connecticut	240	3	3	15	63	97	58	1
Delaware	101	3	7	10	23	38	20	0
District of Columbia	382	3	7	18	117	161	76	0
Florida	1,758	35	29	98	499	676	421	0
Georgia	1,031	38	35	73	281	365	214	25
Hawaii	591	4	8	60	199	226	94	0
Idaho	36	1	2	0	7	14	12	0
Illinois	1,345	28	21	106	379	538	273	0
Indiana	607	20	11	44	119	204	182	27
Iowa	125	1	1	7	25	56	35	0
Kansas	194	2	4	8	43	78	56	3
Kentucky	642	19	17	28	102	225	251	0
Louisiana	593	21	12	40	160	232	123	5
Maine	78	2	0	5	18	26	24	3
Maryland	1,035	20	32	45	263	445	230	0
Massachusetts	719	23	18	49	162	273	185	9
Michigan	1,271	21	26	93	327	501	303	0
Minnesota	194	3	0	20	49	49	73	0
Mississippi	390	9	8	23	79	139	132	0
Missouri	550	25	5	28	90	196	200	6
Montana	94	7	6	3	22	30	26	0
Nebraska	40	0	0	1	8	20	10	1
Nevada	36	1	0	2	12	8	12	1
New Hampshire	30	0	0	0	6	12	12	0
New Jersey	1,271	30	39	102	443	435	222	0
New Mexico	146	10	3	13	42	32	46	0
New York	3,934	85	127	362	1,286	1,317	727	30
North Carolina	1,166	35	29	76	247	468	301	10
North Dakota	25	0	1	1	6	9	8	0
Ohio	1,200	19	30	74	283	432	312	50
Oklahoma	369	16	2	15	74	120	136	6
Oregon	194	6	2	13	40	80	52	1
Pennsylvania	1,540	16	17	96	379	625	404	3
Rhode Island	120	2	2	14	26	46	27	3
South Carolina	627	33	30	49	177	213	125	0
South Dakota	72	7	1	7	17	21	19	0
Tennessee	1,033	30	41	55	176	325	404	2
Texas	2,600	169	122	253	642	885	529	0
Utah	60	0	1	7	15	25	12	0
Vermont	31	0	0	0	2	11	18	0
Virginia	908	40	35	63	182	310	272	6
Washington	427	13	12	21	110	164	106	1
West Virginia	263	4	6	13	53	97	90	0
Wisconsin	264	2	4	17	53	90	90	8
Wyoming	27	0	1	0	7	8	8	3
Guam*	49	0	0	8	13	24	4	0
Puerto Rico*	480	6	10	49	128	190	74	23
U.S. Virgin Islands*	9	1	0	0	4	2	1	1

*Not included in totals.

TABLE 7.
*New Cases of Active
Tuberculosis Found at
Time of Death:
States, 1974*

State	Total New Active Cases	Active Cases Found at Death	
		Number	% of Total Cases
United States	30,122	1,143	4.0*
Alabama	785	12	1.5
Alaska	101	3	3.0
Arizona	349	0	0.0
Arkansas	405	2	0.5
California	3,286	134	4.1
Colorado	171	2	1.2
Connecticut	278	10	3.6
Delaware	99	7	7.1
District of Columbia	351	56	16.0
Florida	1,460	109	7.5
Georgia	953	35	3.7
Hawaii	364	3	0.8
Idaho	38	2	5.3
Illinois	1,496	49	3.3
Indiana	598	55	9.2
Iowa	124	7	5.6
Kansas	159	7	4.4
Kentucky	619	12	1.9
Louisiana	475
Maine	91	6	6.6
Maryland	852	49	5.8
Massachusetts	650	14	2.2
Michigan	1,125	24	2.1
Minnesota	195	2	1.0
Mississippi	394	21	5.3
Missouri	564	40	7.1
Montana	88	9	10.2
Nebraska	41	4	9.8
Nevada	56	0	0.0
New Hampshire	32	1	3.1
New Jersey	1,012	49	4.8
New Mexico	195	13	6.7
New York	2,866	128	4.5
North Carolina	926	32	3.5
North Dakota	36	1	2.8
Ohio	1,141
Oklahoma	282	5	1.8
Oregon	207	4	1.9
Pennsylvania	1,552	66	4.3
Rhode Island	108	3	2.8
South Carolina	641	10	1.6
South Dakota	63	0	0.0
Tennessee	854	30	3.5
Texas	2,311	47	2.0
Utah	49	3	6.1
Vermont	23	0	0.0
Virginia	799	56	7.0
Washington	336	11	3.3
West Virginia	233	8	3.4
Wisconsin	265	2	0.8
Wyoming	24	0	0.0
Puerto Rico**	585	48	8.2

*For 48 reporting States and
District of Columbia.

**Not included in totals.
(..) = Not reported.

TABLE 8
Tuberculosis
Cases by Form
of Disease,
States, 1975

State	Total Cases	Pulmonary		Extrapulmonary	
		Number	Percent	Number	Percent
United States	33,989	29,400	86.5	4,589	13.5
Alabama	780	719	92.2	61	7.8
Alaska	74	59	79.7	15	20.3
Arizona	422	351	83.2	71	16.8
Arkansas	501	438	87.4	63	12.6
California	3,633	3,083	84.9	550	15.1
Colorado	220	168	76.4	52	23.6
Connecticut	240	191	79.6	49	20.4
Delaware	101	88	87.1	13	12.9
District of Columbia	382	330	86.4	52	13.6
Florida	1,758	1,630	92.7	128	7.3
Georgia	1,031	865	83.9	166	16.1
Hawaii	591	569	96.3	22	3.7
Idaho	36	26	72.2	10	27.8
Illinois	1,345	1,175	87.4	170	12.6
Indiana	607	545	89.8	62	10.2
Iowa	125	110	88.0	15	12.0
Kansas	194	174	89.7	20	10.3
Kentucky	642	573	89.3	69	10.7
Louisiana	593	507	85.5	86	14.5
Maine	78	69	88.5	9	11.5
Maryland	1,035	902	87.1	133	12.9
Massachusetts	719	597	83.0	122	17.0
Michigan	1,271	1,108	87.2	163	12.8
Minnesota	194	160	82.5	34	17.5
Mississippi	390	353	90.5	37	9.5
Missouri	550	485	88.2	65	11.8
Montana	94	76	80.9	18	19.1
Nebraska	40	35	87.5	5	12.5
Nevada	36	30	83.3	6	16.7
New Hampshire	30	28	93.3	2	6.7
New Jersey	1,271	1,073	84.4	198	15.6
New Mexico	146	109	74.7	37	25.3
New York	3,934	3,266	83.0	668	17.0
North Carolina	1,166	1,001	85.8	165	14.2
North Dakota	25	20	80.0	5	20.0
Ohio	1,200	1,066	88.8	134	11.2
Oklahoma	369	327	88.6	42	11.4
Oregon	194	156	80.4	38	19.6
Pennsylvania	1,540	1,315	85.4	225	14.6
Rhode Island	120	98	81.7	22	18.3
South Carolina	627	541	86.3	86	13.7
South Dakota	72	58	80.6	14	19.4
Tennessee	1,033	921	89.2	112	10.8
Texas	2,600	2,321	89.3	279	10.7
Utah	60	39	65.0	21	35.0
Vermont	31	26	83.9	5	16.1
Virginia	908	811	89.3	97	10.7
Washington	427	333	78.0	94	22.0
West Virginia	263	231	87.8	32	12.2
Wisconsin	264	227	86.0	37	14.0
Wyoming	27	17	63.0	10	37.0
Guam*	49	46	93.9	3	6.1
Puerto Rico*	480	447	93.1	33	6.9
U.S. Virgin Islands*	9	8	88.9	1	11.1

* Not included in totals.

Note: Cases with form of disease not specified were distributed proportionately.

TABLE 9
Percent, Pulmonary
Tuberculosis* by Extent
of Disease: States, 1974

State	Total	Minimal	Moderately Advanced	Far Advanced
United States	100.0	23.1	44.1	32.8
Alabama	100.0	21.8	41.6	36.6
Alaska	100.0	62.9	22.8	14.3
Arizona	100.0	26.9	42.4	30.7
Arkansas	100.0	19.6	53.9	26.5
California	100.0	30.0	45.3	24.7
Colorado	100.0	23.7	51.7	24.6
Connecticut	100.0	32.8	47.0	20.2
Delaware	100.0	18.0	38.9	43.1
District of Columbia	100.0	10.0	52.1	37.9
Florida	100.0	18.6	46.2	35.2
Georgia	100.0	13.1	41.8	45.1
Hawaii	100.0	51.6	38.8	9.6
Idaho	100.0	11.5	50.0	38.5
Illinois	100.0	19.4	48.9	31.7
Indiana	100.0	23.0	42.9	34.1
Iowa	100.0	16.8	41.6	41.6
Kansas	100.0	35.6	45.0	19.4
Kentucky	100.0	25.2	40.4	34.4
Louisiana	100.0	15.4	41.1	43.5
Maine	100.0	40.3	29.2	30.5
Maryland	100.0	22.3	44.8	32.9
Massachusetts	100.0	28.2	48.0	23.8
Michigan	100.0	23.1	44.1	32.8
Minnesota	100.0	30.9	47.1	22.0
Mississippi	100.0	18.2	35.8	46.0
Missouri	100.0	16.7	45.4	37.9
Montana	100.0	23.5	49.0	27.5
Nebraska	100.0	28.1	59.4	12.5
Nevada	100.0	33.3	22.2	44.5
New Hampshire	100.0	42.1	52.6	5.3
New Jersey	100.0	21.5	50.7	27.8
New Mexico	100.0	23.7	44.1	32.2
New York	100.0	20.1	46.7	33.2
North Carolina	100.0	12.7	35.1	52.2
North Dakota	100.0	34.6	53.9	11.5
Ohio	100.0	26.5	42.3	31.2
Oklahoma	100.0	17.5	41.5	41.0
Oregon	100.0	44.1	34.5	21.4
Pennsylvania	100.0	21.7	53.2	25.1
Rhode Island	100.0	26.8	43.9	29.3
South Carolina	100.0	18.7	23.5	57.8
South Dakota	100.0	24.4	39.0	36.6
Tennessee	100.0	21.0	42.9	36.1
Texas	100.0	26.0	41.8	32.2
Utah	100.0	43.7	43.8	12.5
Vermont	100.0	15.0	55.0	30.0
Virginia	100.0	22.7	37.1	40.2
Washington	100.0	40.9	41.4	17.7
West Virginia	100.0	19.2	44.1	36.7
Wisconsin	100.0	16.2	45.5	38.3
Wyoming	100.0	10.0	30.0	60.0
Puerto Rico**	100.0	16.8	42.6	40.6

*New active cases for which extent specified.

**Not included in totals.

TABLE 10
Tuberculosis
Cases With Both
Pulmonary and
Extrapulmonary
Disease, States,
1975

State	Total Cases	Cases With Both Pulmonary and Extrapulmonary Disease*	Percent With Both Pulmonary and Extrapulmonary Disease*
United States	33,989	678	2.5
Alabama	780	11	1.4
Alaska	74	4	5.4
Arizona	422	8	1.9
Arkansas	501	15	3.0
California	3,633	53	1.5
Colorado	220	19	8.6
Connecticut	240	5	2.1
Delaware	101	11	10.9
District of Columbia	382	12	3.1
Florida	1,758	37	2.1
Georgia	1,031	43	4.2
Hawaii	591	3	0.5
Idaho	36	1	2.8
Illinois	1,345	23	1.7
Indiana	607	7	1.2
Iowa	125	3	2.4
Kansas	194	6	3.1
Kentucky	642	11	1.7
Louisiana	593	5	0.8
Maine	78	2	2.6
Maryland	1,035	65	6.3
Massachusetts	719	15	2.1
Michigan	1,271	47	3.7
Minnesota	194	8	4.1
Mississippi	390	8	2.1
Missouri	550	7	1.3
Montana	94	2	2.1
Nebraska	40	0	0.0
Nevada	36	1	2.8
New Hampshire	30	0	0.0
New Jersey	1,271	33	2.6
New Mexico	146	4	2.7
New York	3,934
North Carolina	1,166	26	2.2
North Dakota	25	3	12.0
Ohio	1,200
Oklahoma	369	0	0.0
Oregon	194	7	3.6
Pennsylvania	1,540
Rhode Island	120	1	0.8
South Carolina	627	21	3.3
South Dakota	72	4	5.6
Tennessee	1,033	55	5.3
Texas	2,600	50	1.9
Utah	60	2	3.3
Vermont	31	2	6.5
Virginia	908	33	3.6
Washington	427
West Virginia	263	1	0.4
Wisconsin	264	3	1.1
Wyoming	27	1	3.7
Guam**	49	0	0.0
Puerto Rico**	480	5	1.0
U.S. Virgin Islands **	9	1	11.1

* For 46 reporting
States and District
of Columbia.

** Not included in
totals.

(..) = Not available.

TABLE 11
Tuberculosis Cases and
Case Rates: Cities of
100,000 to 250,000
Population, 1974

Cities	New Active Cases		
	Number	Rate	Rate Rank Order
Albany, N.Y.	18	16.8	40
Alexandria, Va.	24	22.9	20
Allentown, Pa.	7	6.2	85
Amarillo, Tex.	10	8.5	76
Anaheim, Cal.	13	6.9	83
Baton Rouge, La.	22	10.3	69
Beaumont, Tex.	28	24.7	18
Berkeley, Cal.	24	22.0	24
Bridgeport, Conn.	30	19.6	27
Cambridge, Mass.	18	18.9	30
Camden, N.J.	24	22.5	22
Canton, Ohio	13	11.9	60
Cedar Rapids-Linn Co., Iowa	10	6.0	86
Charlotte-Mecklenburg Co., N.C.	78	21.2	26
Chattanooga-Hamilton Co., Tenn.	51	19.3	29
Colorado Springs-El Paso Co., Colo.	7	2.3	94
Columbia, S.C.	54	47.6	3
Columbus-Muscogee Co., Ga.	32	19.3	28
Corpus Christi, Tex.	50	23.0	19
Dearborn, Mich.	8	7.7	79
Des Moines-Polk Co., Iowa	25	8.4	77
Duluth, Minn.	7	7.1	82
Elizabeth, N.J.	34	29.7	10
Erie, Pa.	14	10.8	67
Evansville-Vanderburgh Co., Ind.	21	12.8	57
Fall River, Mass.	24	24.9	17
Flint, Mich.	26	13.4	54
Ft. Lauderdale, Fla.	40	25.6	15
Ft. Wayne-Allen Co., Ind.	25	8.7	75
Fremont, Cal.	7	5.8	87
Fresno, Cal.	51	29.3	11
Garden Grove, Cal.	11	9.1	72
Gary, Ind.	58	34.2	6
Glendale, Cal.	14	10.7	68
Grand Rapids, Mich.	28	14.2	51
Greensboro-Guilford Co., N.C.	22	7.3	81
Hammond, Ind.	12	11.4	66
Hampton, Va.	23	18.1	36
Hartford, Conn.	39	24.9	16
Hollywood, Fla.	21	16.6	41
Huntington Beach, Cal.	8	5.6	88
Huntsville-Madison Co., Ala.	28	13.0	56
Jackson-Hinds Co., Miss.	43	18.6	33
Kansas City, Kans.	32	17.9	37
Knoxville-Knox Co., Tenn.	55	18.9	31
Lansing, Mich.	15	11.4	65
Las Vegas-Clark Co., Nev.	38	12.0	59
Lexington-Fayette Co., Ky.	59	32.3	8
Lincoln, Nebr.	1	0.6	96
Little Rock, Ark.	32	22.7	21

TABLE 12
*Extrapulmonary
Tuberculosis
Cases by
Bacteriologic
Status,
States, 1975*

State	Total Extra- pulmonary Cases	Cases With Bacteriologic Results*						Cases With Bacteriology Not Known*	
		Total		Positive		Negative			
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
United States	4,572	3,324	73.9	2,580	77.6	744	22.4	1,177	26.1
Alabama	61	53	86.9	49	92.5	4	7.5	8	13.1
Alaska	15	12	80.0	9	75.0	3	25.0	3	20.0
Arizona	71	68	95.8	58	85.3	10	14.7	3	4.2
Arkansas	63	60	95.2	38	63.3	22	36.7	3	4.8
California	550	441	80.2	401	90.9	40	9.1	109	19.8
Colorado	52	50	96.2	35	70.0	15	30.0	2	3.8
Connecticut	49	43	87.8	43	100.0	0	0.0	6	12.2
Delaware	13	10	76.9	6	60.0	4	40.0	3	23.1
District of Columbia	52	47	90.4	32	68.1	15	31.9	5	9.6
Florida	128	93	72.7	74	79.6	19	20.4	35	27.3
Georgia	166	75	45.2	35	46.7	40	53.3	91	54.8
Hawaii	22	19	86.4	9	47.4	10	52.6	3	13.6
Idaho	10	10	100.0	7	70.0	3	30.0	0	0.0
Illinois*	170	83	83.8	65	78.3	18	21.7	16	16.2
Indiana	61	46	75.4	37	80.4	9	19.6	15	24.6
Iowa	15	13	86.7	8	61.5	5	38.5	2	13.3
Kansas	20	20	100.0	13	65.0	7	35.0	0	0.0
Kentucky	69	54	78.3	43	79.6	11	20.4	15	21.7
Louisiana	86	71	82.6	43	60.6	28	39.4	15	17.4
Maine	9	9	100.0	8	88.9	1	11.1	0	0.0
Maryland	133	112	84.2	91	81.3	21	18.7	21	15.8
Massachusetts	122	99	81.1	97	98.0	2	2.0	23	18.9
Michigan	163	148	90.8	114	77.0	34	23.0	15	9.2
Minnesota	34	33	97.1	30	90.9	3	9.1	1	2.9
Mississippi	37	30	81.1	23	76.7	7	23.3	7	18.9
Missouri	65	45	69.2	39	86.7	6	13.3	20	30.8
Montana	18	18	100.0	16	88.9	2	11.1	0	0.0
Nebraska	5	5	100.0	5	100.0	0	0.0	0	0.0
Nevada	6	6	100.0	6	100.0	0	0.0	0	0.0
New Hampshire	2	2	100.0	0	0.0	2	100.0	0	0.0
New Jersey	198	177	89.4	85	48.0	92	52.0	21	10.6
New Mexico	37	35	94.6	31	88.6	4	11.4	2	5.4
New York	652	164	25.2	137	83.5	27	16.5	488	74.8
North Carolina	165	144	87.3	100	69.4	44	30.6	21	12.7
North Dakota	5	4	80.0	4	100.0	0	0.0	1	20.0
Ohio	134	109	81.3	90	82.6	19	17.4	25	18.7
Oklahoma	42	33	78.6	26	78.8	7	21.2	9	21.4
Oregon	38	33	86.8	20	60.6	13	39.4	5	13.2
Pennsylvania	225	189	84.0	151	79.9	38	20.1	36	16.0
Rhode Island	22	15	68.2	13	86.7	2	13.3	7	31.8
South Carolina	86	63	73.3	49	77.8	14	22.2	23	26.7
South Dakota	14	13	92.9	11	84.6	2	15.4	1	7.1
Tennessee	112	88	78.6	78	88.6	10	11.4	24	21.4
Texas	279	218	78.1	144	66.1	74	33.9	61	21.9
Utah	21	20	95.2	16	80.0	4	20.0	1	4.8
Vermont	5	5	100.0	5	100.0	0	0.0	0	0.0
Virginia	97	86	88.7	62	72.1	24	27.9	11	11.3
Washington	94	90	95.7	79	87.8	11	12.2	4	4.3
West Virginia	32	20	62.5	13	65.0	7	35.0	12	37.5
Wisconsin	37	34	91.9	27	79.4	7	20.6	3	8.1
Wyoming	10	9	90.0	5	55.6	4	44.4	1	10.0
Guam**	3	2	66.7	0	0.0	2	100.0	1	33.3
Puerto Rico**	33	8	24.2	3	37.5	5	62.5	25	75.8
U.S. Virgin Islands**	1	1	100.0	1	100.0	0	0.0	0	0.0

* Bacteriologic status including percents excludes City of Chicago, Illinois.

** Not included in totals.

Note:

(1) Bacteriologic results based on smear and/or culture.

(2) Cases with form of disease not stated excluded from Tables 11 and 12.

TABLE 12
New Cases of Active
Tuberculosis by Age:
Cities of 250,000 or
More Population, 1974

Cities	Total	Under 5	5-14	15-24	25-44	45-64	65+	Age Not Stated
Akron, Ohio	56	2	1	4	13	18	16	2
Albuquerque-Bernalillo Co., N.M.	36	0	0	3	11	14	8	0
Atlanta-Fulton Co., Ga.	213	3	2	14	67	85	32	10
Austin, Tex.	51	3	1	9	14	15	8	1
Baltimore, Md.	472	7	9	17	130	189	119	1
Birmingham, Ala.	110	1	0	7	27	49	26	0
Boston, Mass.	220	6	6	18	69	76	44	1
Buffalo, N.Y.	99	4	10	7	21	35	22	0
Chicago, Ill.	870	24	12	100	383	273	78	0
Cincinnati, Ohio	115	4	2	7	29	37	32	4
Cleveland, Ohio	209	4	8	14	51	93	38	1
Columbus, Ohio	74	3	0	7	18	34	12	0
Dallas, Tex.	237	15	6	17	72	83	43	1
Dayton, Ohio	80	2	1	4	16	34	20	3
Denver, Colo.	70	2	2	7	17	29	10	3
Detroit, Mich.	508	30	10	31	164	180	93	0
El Paso, Tex.	130	15	7	31	25	31	21	0
Ft. Worth, Tex.	82	3	1	6	21	28	23	0
Honolulu, Hawaii	217	3	4	23	77	79	31	0
Houston, Tex.	361	18	18	30	105	136	53	1
Indianapolis-Marion Co., Ind.	154	9	17	8	35	48	37	0
Jacksonville, Fla.	118	4	3	11	28	48	24	0
Jersey City, N.J.	81	4	1	10	39	19	8	0
Kansas City, Mo.	114	24	2	6	17	38	27	0
Long Beach, Cal.	66	3	5	7	15	23	13	0
Los Angeles, Cal.	719	19	31	100	231	190	120	28
Louisville-Jefferson Co., Ky.	107	2	0	8	17	46	34	0
Memphis-Shelby Co., Tenn.	117	4	1	13	33	37	29	0
Miami-Dade Co., Fla.	311	15	1	25	89	120	61	0
Milwaukee, Wisc.	143	6	6	21	31	52	23	4
Minneapolis, Minn.	49	2	0	3	8	17	19	0
Nashville-Davidson Co., Tenn.	140	3	14	9	33	44	37	0
Newark, N.J.	169	10	4	14	70	61	10	0
New Orleans, La.	123	5	1	10	36	49	21	1
New York, N.Y.	2,022	77	74	210	771	585	305	0
Norfolk, Va.	46	0	1	2	20	17	5	1
Oakland, Cal.	42	0	0	1	18	14	8	1
Oklahoma City-Oklahoma Co., Okla.	41	0	0	0	10	21	10	0
Omaha-Douglas Co., Nebr.	23	1	0	0	3	12	7	0
Philadelphia, Pa.	583	10	16	40	165	220	132	0
Phoenix-Maricopa Co., Ariz.	136	7	4	8	36	51	30	0
Pittsburgh, Pa.	107	4	5	3	27	40	28	0
Portland-Multnomah Co., Ore.	104	2	0	7	19	49	27	0
Rochester, N.Y.	63	2	0	8	24	18	11	0
Sacramento-Sacramento Co., Cal.	106	0	1	4	20	56	25	0
St. Louis, Mo.	105	6	1	5	23	39	31	0
St. Paul, Minn.	24	2	2	1	3	6	10	0
San Antonio, Tex.	140	7	4	20	29	40	39	1
San Diego-San Diego Co., Cal.	241	22	10	45	68	56	40	0
San Francisco, Cal.	306	8	12	32	94	96	64	0
San Jose-Santa Clara Co., Cal.	142	4	7	17	45	40	29	0
Seattle, Wash.	117	1	3	10	42	42	19	0
Tampa, Fla.	120	11	13	7	34	38	17	0
Toledo, Ohio	42	0	3	3	10	16	10	0
Tucson-Pima Co., Ariz.	75	16	1	6	8	25	19	0
Tulsa-Tulsa Co., Okla.	58	1	2	4	8	24	19	0
Washington, D.C.	351	3	13	24	108	133	70	0
Wichita, Kans.	23	0	0	0	4	13	6	0
Total — 58 Cities	11,638	443	358	1,058	3,601	3,961	2,153	64

Cities	Total Cases	White	Black	American Indian	Asian American	Other	Not Stated
Akron-Summit Co., Ohio	42	19	23
Albuquerque, N.M.	16	13	1	1	0	1	0
Atlanta-Fulton Co., Ga.	205	67	138
Austin, Tex.	59	46	7	0	6	0	0
Baltimore, Md.	585	188	381	0	14	2	0
Birmingham, Ala.	98	24	74	0	0	0	0
Boston, Mass.	207	129	66	0	12	0	0
Buffalo, N.Y.	111	63	47	0	0	1	0
Chicago, Ill.	654	218	349	2	33	52	0
Cincinnati, Ohio	127	62	65
Cleveland, Ohio	150	37	113
Columbus, Ohio	101	44	57
Dallas, Tex.	277	153	118	1	5	0	0
Dayton, Ohio	89	25	64
Denver, Colo.	71	55	7	4	5	0	0
Detroit, Mich.	556	159	391	1	2	3	0
El Paso, Tex.	102	97	3	0	2	0	0
Ft. Worth, Tex.	119	80	35	0	4	0	0
Honolulu, Hawaii	360	11	2	0	331	16	0
Houston, Tex.	399	235	156	1	7	0	0
Indianapolis-Marion Co., Ind.	143	84	55	0	4	0	0
Jacksonville, Fla.	164	67	97	0	0	0	0
Jersey City, N.J.	116
Kansas City, Mo.	110	71	39	0	0	0	0
Long Beach, Cal.	67	48	7	1	10	1	0
Los Angeles, Cal.	792	179	171	8	34	392	8
Louisville-Jefferson Co., Ky.	94	64	30	0	0	0	0
Memphis-Shelby Co., Tenn.	120	42	78	0	0	0	0
Miami-Dade Co., Fla.	350	195	150	0	5	0	0
Milwaukee, Wisc.	126	69	49	1	5	2	0
Minneapolis, Minn.	55	28	8	5	14	0	0
Nashville-Davidson Co., Tenn.	175	102	73	0	0	0	0
Newark, N.J.	251
New Orleans, La.	158	55	99	0	1	3	0
New York, N.Y.	2,893	590	887	0	150	355	911
Norfolk, Va.	45	10	33	0	1	1	0
Oakland, Cal.
Oklahoma City, Okla.	61	44	9	5	0	3	0
Omaha-Douglas Co., Nebr.	16	15	0	0	0	1	0
Philadelphia, Pa.	494	152	342
Phoenix, Ariz.	124	91	18	12	3	0	0
Pittsburgh, Pa.	95	50	45
Portland-Multnomah Co., Ore.	95	64	7	7	6	11	0
Rochester, N.Y.	63	15	48
Sacramento-Sacramento Co., Cal.	120	64	13	5	7	31	0
St. Louis, Mo.	87	36	50	0	1	0	0
St. Paul, Minn.	21	15	3	0	3	0	0
San Antonio, Tex.	172	151	17	0	4	0	0
San Diego-San Diego Co., Cal.	240	190	14	2	4	30	0
San Francisco, Cal.	302	101	46	3	152	0	0
San Jose-Santa Clara Co., Cal.	152	70	10	0	24	48	0
Seattle, Wash.	95	49	14	12	10	10	0
Tampa, Fla.	109	63	45	0	0	1	0
Toledo, Ohio	71	38	33
Tucson, Ariz.	71	61	2	5	3	0	0
Tulsa, Okla.	67	50	12	4	0	0	1
Washington, D.C.	382	36	331	0	9	6	0
Wichita, Kans.	45	32	9	2	1	0	1
Total - 57 Cities*	12,869	4,716	4,013	82	872	970	1,849
San Juan, P.R.**	102

TABLE 14
*Racial Designation
of Persons with
Tuberculosis:
Cities of 250,000
or More Popula-
tion, 1975*

* Cases reported by New Jersey were not identified by race.

** Not included in totals. Puerto Rico cases were not identified by race. (..) = Not available.

Notes:

(1) County data are shown when information for principal city is not reported separately.

(2) Racial designation of cases in California cities is reported independently of the State count.

TABLE 15
Tuberculosis Cases
by Age: Cities of
250,000 or More
Population, 1975

Cities	Total	Under 5	5-14	15-24	25-44	45-64	65+	Age Not Stated
Akron-Summit Co., Ohio	42	1	0	4	11	9	15	2
Albuquerque, N.M.	16	1	0	0	4	1	10	0
Atlanta-Fulton Co., Ga.	205	4	6	9	65	78	25	18
Austin, Tex.	59	4	3	6	22	13	11	0
Baltimore, Md.	585	8	22	17	154	275	109	0
Birmingham, Ala.	98	1	0	11	18	38	30	0
Boston, Mass.	207	4	6	16	53	84	44	0
Buffalo, N.Y.	111	5	3	11	28	37	27	0
Chicago, Ill.	654	8	9	63	226	274	74	0
Cincinnati, Ohio	127	0	1	7	37	52	27	3
Cleveland, Ohio	150	4	1	12	34	59	37	3
Columbus, Ohio	101	2	1	6	31	27	28	6
Dallas, Tex.	277	21	16	22	91	82	45	0
Dayton, Ohio	89	3	4	5	20	36	21	0
Denver, Colo.	71	2	4	5	14	21	25	0
Detroit, Mich.	556	5	7	42	170	217	115	0
El Paso, Tex.	102	10	7	17	27	25	16	0
Ft. Worth, Tex.	119	4	5	13	29	47	21	0
Honolulu, Hawaii	360	0	6	36	145	120	53	0
Houston, Tex.	399	19	12	42	100	165	61	0
Indianapolis-Marion Co., Ind.	143	5	1	14	30	52	41	0
Jacksonville, Fla.	164	6	0	9	48	68	33	0
Jersey City, N.J.	116	5	5	8	50	36	12	0
Kansas City, Mo.	110	3	0	10	25	45	27	0
Long Beach, Cal.	67	2	1	6	13	31	14	0
Los Angeles, Cal.	792	25	27	114	223	218	122	63
Louisville-Jefferson Co., Ky.	94	0	2	7	14	39	32	0
Memphis-Shelby Co., Tenn.	120	3	4	11	34	41	27	0
Miami-Dade Co., Fla.	350	3	4	17	109	145	72	0
Milwaukee, Wisc.	126	2	2	8	30	47	36	1
Minneapolis, Minn.	55	1	0	10	18	10	16	0
Nashville-Davidson Co., Tenn.	175	10	18	18	32	54	41	2
Newark, N.J.	251	5	9	35	106	76	20	0
New Orleans, La.	158	4	3	9	49	61	31	1
New York, N.Y.	2,893	65	97	284	1,044	942	452	9
Norfolk, Va.	45	0	0	2	12	24	7	0
Oakland, Cal.
Oklahoma City, Okla.	61	3	0	2	19	21	16	0
Omaha-Douglas Co., Nebr.	16	0	0	0	4	9	2	1
Philadelphia, Pa.	494	6	7	21	137	214	108	1
Phoenix, Ariz.	124	4	0	5	25	55	35	0
Pittsburgh, Pa.	95	1	1	2	21	43	27	0
Portland-Multnomah Co., Ore.	95	2	1	7	22	40	23	0
Rochester, N.Y.	63	1	1	12	23	15	11	0
Sacramento-Sacramento Co., Cal.	120	2	0	12	28	50	28	0
St. Louis, Mo.	87	6	0	4	13	46	18	0
St. Paul, Minn.	21	1	1	0	7	7	5	0
San Antonio, Tex.	172	9	1	11	38	62	51	0
San Diego-San Diego Co., Cal.	240	13	10	32	73	71	40	1
San Francisco, Cal.	302	2	8	48	78	93	73	0
San Jose-Santa Clara Co., Cal.	152	5	2	20	57	43	25	0
Seattle, Wash.	95	2	0	3	26	47	17	0
Tampa, Fla.	109	4	4	3	30	47	21	0
Toledo, Ohio	71	0	2	7	17	29	10	6
Tucson, Ariz.	71	0	1	5	13	23	29	0
Tulsa, Okla.	67	5	1	0	10	24	26	1
Washington, D.C.	382	3	7	18	117	161	76	0
Wichita, Kansas	45	0	0	1	10	23	11	0
Total — 57 Cities	12,869	314	333	1,119	3,884	4,672	2,429	118
San Juan, P.R.*	102	2	2	7	28	44	13	6

* Not included in totals.

(..) = Not available.

Note: County data are shown when information for principal city is not reported separately.

Cities	Total Pulmonary Cases	Cases With Bacteriologic Results*						Cases With Bacteriology Not Known*	
		Total		Positive		Negative		Number	Percent
		Number	Percent	Number	Percent	Number	Percent		
Akron-Summit Co., Ohio	34	29	85.3	29	100.0	0	0.0	5	14.7
Albuquerque, N.M.	10	10	100.0	10	100.0	0	0.0	0	0.0
Atlanta-Fulton Co., Ga.	172	165	95.9	142	86.1	23	13.9	7	4.1
Austin, Tex.	52	35	67.3	29	82.9	6	17.1	17	32.7
Baltimore, Md.	519	504	97.1	369	73.2	135	26.8	15	2.9
Birmingham, Ala.	89	87	97.8	87	100.0	0	0.0	2	2.2
Boston, Mass.	176	159	90.3	138	86.8	21	13.2	17	9.7
Buffalo, N.Y.	83	83	100.0	69	83.1	14	16.9	0	0.0
Chicago, Ill.*	583	214	—	183	85.5	31	14.5	369	—
Cincinnati, Ohio	118	109	92.4	93	85.3	16	14.7	9	7.6
Cleveland, Ohio	133	113	85.0	73	64.6	40	35.4	20	15.0
Columbus, Ohio	89	84	94.4	61	72.6	23	27.4	5	5.6
Dallas, Tex.	238	193	81.1	137	71.0	56	29.0	45	18.9
Dayton, Ohio	78	69	88.5	49	71.0	20	29.0	9	11.5
Denver, Colo.	57	55	96.5	40	72.7	15	27.3	2	3.5
Detroit, Mich.	494	480	97.2	442	92.1	38	7.9	14	2.8
El Paso, Tex.	83	68	81.9	52	76.5	16	23.5	15	18.1
Ft. Worth, Tex.	107	94	87.9	70	74.5	24	25.5	13	12.1
Honolulu, Hawaii	346	345	99.7	83	24.1	262	75.9	1	0.3
Houston, Tex.	347	335	96.5	307	91.6	28	8.4	12	3.5
Indianapolis-Marion Co., Ind.	127	119	93.7	107	89.9	12	10.1	8	6.3
Jacksonville, Fla.	154	147	95.5	122	83.0	25	17.0	7	4.5
Jersey City, N.J.	103	93	90.3	54	58.1	39	41.9	10	9.7
Kansas City, Mo.	93	90	96.8	72	80.0	18	20.0	3	3.2
Long Beach, Cal.	59	58	98.3	45	77.6	13	22.4	1	1.7
Los Angeles, Cal.	660	660	100.0
Louisville-Jefferson Co., Ky.	83	82	98.8	82	100.0	0	0.0	1	1.2
Memphis-Shelby Co., Tenn.	93	88	94.6	87	98.9	1	1.1	5	5.4
Miami-Dade Co., Fla.	320	313	97.8	296	94.6	17	5.4	7	2.2
Milwaukee, Wisc.	111	105	94.6	58	55.2	47	44.8	6	5.4
Minneapolis, Minn.	44	42	95.5	31	73.8	11	26.2	2	4.5
Nashville-Davidson Co., Tenn.	150	94	62.7	90	95.7	4	4.3	56	37.3
Newark, N.J.	204	197	96.6	120	60.9	77	39.1	7	3.4
New Orleans, La.	133	133	100.0	105	78.9	28	21.1	0	0.0
New York, N.Y.	2,333	648	27.8	579	89.4	69	10.6	1,685	72.2
Norfolk, Va.	39	39	100.0	37	94.9	2	5.1	0	0.0
Oakland, Cal.
Oklahoma City, Okla.	54	54	100.0	48	88.9	6	11.1	0	0.0
Omaha-Douglas Co., Nebr.	15	15	100.0	15	100.0	0	0.0	0	0.0
Philadelphia, Pa.	403	365	90.6	336	92.1	29	7.9	38	9.4
Phoenix, Ariz.	106	100	94.3	84	84.0	16	16.0	6	5.7
Pittsburgh, Pa.	78	72	92.3	60	83.3	12	16.7	6	7.7
Portland-Multnomah Co., Ore.	76	76	100.0	59	77.6	17	22.4	0	0.0
Rochester, N.Y.	46	45	97.8	40	88.9	5	11.1	1	2.2
Sacramento-Sacramento Co., Cal.	95	94	98.9	90	95.7	4	4.3	1	1.1
St. Louis, Mo.	73	66	90.4	63	95.5	3	4.5	7	9.6
St. Paul, Minn.	18	16	88.9	12	75.0	4	25.0	2	11.1
San Antonio, Tex.	159	145	91.2	124	85.5	21	14.5	14	8.8
San Diego-San Diego Co., Cal.	215	205	95.3	171	83.4	34	16.6	10	4.7
San Francisco, Cal.	223	223	100.0	131	58.7	92	41.3	0	0.0
San Jose-Santa Clara Co., Cal.	124	124	100.0	94	75.8	30	24.2	0	0.0
Seattle, Wash.	66	66	100.0	63	95.5	3	4.5	0	0.0
Tampa, Fla.	99	92	92.9	74	80.4	18	19.6	7	7.1
Toledo, Ohio	65	50	76.9	35	70.0	15	30.0	15	23.1
Tucson, Ariz.	58	55	94.8	45	81.8	10	18.2	3	5.2
Tulsa, Okla.	61	58	95.1	52	89.7	6	10.3	3	4.9
Washington, D.C.	330	312	94.5	240	76.9	72	23.1	18	5.5
Wichita, Kansas	37	35	94.6	31	88.6	4	11.4	2	5.4
Total—57 Reporting Cities*	10,915	7,533	72.9	6,032	80.1	1,501	19.9	2,799	27.1
San Juan, P.R.**	96	24	25.0	8	33.3	16	66.7	72	75.0

TABLE 16
*Pulmonary
Tuberculosis
Cases by
Bacteriologic
Status: Cities
of 250,000 or
More
Population, 1975*

* Bacteriology reported for 6 months only for Chicago, Illinois. Chicago excluded from bacteriologic totals including percents.

** Not included in totals.

(..) = Not available.

Notes:

(1) Bacteriologic results based on smear and/or culture.

(2) County data are shown when information for principal city is not reported separately.

(3) Cases with form of disease not stated excluded from Tables 16 and 17.

TABLE 17
*Extrapulmonary
Tuberculosis Cases
by Bacteriologic
Status: Cities of
250,000 or More
Population, 1975*

Cities	Total Extra- pulmonary Cases	Cases With Bacteriologic Results*						Cases With Bacteriology Not Known*	
		Total		Positive		Negative		Number	Percent
		Number	Percent	Number	Percent	Number	Percent		
Akron-Summit Co., Ohio	8	4	50.0	4	100.0	0	0.0	4	50.0
Albuquerque, N.M.	6	6	100.0	6	100.0	0	0.0	0	0.0
Atlanta-Fulton Co., Ga.	33	13	39.4	7	53.8	6	46.2	20	60.6
Austin, Tex.	7	6	85.7	6	100.0	0	0.0	1	14.3
Baltimore, Md.	66	61	92.4	47	77.0	14	23.0	5	7.6
Birmingham, Ala.	9	9	100.0	7	77.8	2	22.2	0	0.0
Boston, Mass.	31	27	87.1	27	100.0	0	0.0	4	12.9
Buffalo, N.Y.	28	28	100.0	17	60.7	11	39.3	0	0.0
Chicago, Ill.*	71	18	—	12	66.7	6	33.3	53	—
Cincinnati, Ohio	9	8	88.9	5	62.5	3	37.5	1	11.1
Cleveland, Ohio	17	16	94.1	13	81.3	3	18.7	1	5.9
Columbus, Ohio	12	10	83.3	9	90.0	1	10.0	2	16.7
Dallas, Tex.	39	33	84.6	18	54.5	15	45.5	6	15.4
Dayton, Ohio	11	9	81.8	4	44.4	5	55.6	2	18.2
Denver, Colo.	14	13	92.9	11	84.6	2	15.4	1	7.1
Detroit, Mich.	62	60	96.8	50	83.3	10	16.7	2	3.2
El Paso, Tex.	19	11	57.9	7	63.6	4	36.4	8	42.1
Ft. Worth, Tex.	12	12	100.0	8	66.7	4	33.3	0	0.0
Honolulu, Hawaii	14	11	78.6	6	54.5	5	45.5	3	21.4
Houston, Tex.	52	46	88.5	36	78.3	10	21.7	6	11.5
Indianapolis-Marion Co., Ind.	16	15	93.8	12	80.0	3	20.0	1	6.2
Jacksonville, Fla.	10	9	90.0	8	88.9	1	11.1	1	10.0
Jersey City, N.J.	13	11	84.6	6	54.5	5	45.5	2	15.4
Kansas City, Mo.	17	7	41.2	5	71.4	2	28.6	10	58.8
Long Beach, Cal.	8	7	87.5	5	71.4	2	28.6	1	12.5
Los Angeles, Cal.	132	132	100.0
Louisville-Jefferson Co., Ky.	11	11	100.0	10	90.9	1	9.1	0	0.0
Memphis-Shelby Co., Tenn.	27	22	81.5	20	90.9	2	9.1	5	18.5
Miami-Dade Co., Fla.	30	25	83.3	25	100.0	0	0.0	5	16.7
Milwaukee, Wisc.	15	15	100.0	10	66.7	5	33.3	0	0.0
Minneapolis, Minn.	11	9	81.8	9	100.0	0	0.0	2	18.2
Nashville-Davidson Co., Tenn.	25	21	84.0	20	95.2	1	4.8	4	16.0
Newark, N.J.	47	43	91.5	17	39.5	26	60.5	4	8.5
New Orleans, La.	25	24	96.0	13	54.2	11	45.8	1	4.0
New York, N.Y.	464	81	17.5	67	82.7	14	17.3	383	82.5
Norfolk, Va.	6	5	83.3	5	100.0	0	0.0	1	16.7
Oakland, Cal.
Oklahoma City, Okla.	7	5	71.4	5	100.0	0	0.0	2	28.6
Omaha-Douglas Co., Nebr.	1	1	100.0	1	100.0	0	0.0	0	0.0
Philadelphia, Pa.	91	72	79.1	62	86.1	10	13.9	19	20.9
Phoenix, Ariz.	18	17	94.4	14	82.4	3	17.6	1	5.6
Pittsburgh, Pa.	17	15	88.2	13	86.7	2	13.3	2	11.8
Portland-Multnomah Co., Ore.	19	17	89.5	7	41.2	10	58.8	2	10.5
Rochester, N.Y.	17	14	82.4	9	64.3	5	35.7	3	17.6
Sacramento-Sacramento Co., Cal.	25	25	100.0	20	80.0	5	20.0	0	0.0
St. Louis, Mo.	14	12	85.7	11	91.7	1	8.3	2	14.3
St. Paul, Minn.	3	3	100.0	3	100.0	0	0.0	0	0.0
San Antonio, Tex.	13	12	92.3	8	66.7	4	33.3	1	7.7
San Diego-San Diego Co., Cal.	25	23	92.0	19	82.6	4	17.4	2	8.0
San Francisco, Cal.	79	79	100.0	57	72.2	22	27.8	0	0.0
San Jose-Santa Clara Co., Cal.	28	28	100.0	22	78.6	6	21.4	0	0.0
Seattle, Wash.	29	29	100.0	24	82.8	5	17.2	0	0.0
Tampa, Fla.	10	10	100.0	6	60.0	4	40.0	0	0.0
Toledo, Ohio	6	4	66.7	4	100.0	0	0.0	2	33.3
Tucson, Ariz.	13	13	100.0	11	84.6	2	15.4	0	0.0
Tulsa, Okla.	6	6	100.0	5	83.3	1	16.7	0	0.0
Washington, D.C.	52	47	90.4	32	68.1	15	31.9	5	9.6
Wichita, Kan.	8	8	100.0	5	62.5	3	37.5	0	0.0
Total—57 Reporting Cities*	1,858	1,128	63.1	858	76.1	270	23.9	659	36.9
San Juan, P.R.**	6	3	50.0	1	33.3	2	66.7	3	50.0

* Bacteriology reported for 6 months only for Chicago, Illinois. Chicago excluded from bacteriologic totals including percents.

** Not included in totals.

(..) = Not available.

Notes:

(1) Bacteriologic results based on smear and/or culture.

(2) County data are shown when information for principal city is not reported separately.

(3) Cases with form of disease not stated excluded from Tables 16 and 17.

TABLE 18
*Tuberculosis Cases
and Case Rates:
Cities of 100,000
to 250,000
Population, 1975*

Cities	Tuberculosis Cases		
	Number	Rate	Rate Rank Order
Albany, N.Y.	47	45.1	5
Alexandria, Va.	19	17.5	41
Allentown, Pa.	5	4.6	91
Amarillo, Tex.	8	6.9	83
Anaheim, Cal.	14	7.3	81
Baton Rouge, La.	30	14.8	51
Beaumont, Tex.	35	31.1	12
Berkeley, Cal.	14	12.9	58
Bridgeport, Conn.	22	14.1	54
Cambridge, Mass.	13	12.7	59
Camden, N.J.	29	27.5	20
Canton, Ohio	12	11.0	65
Cedar Rapids-Linn Co., Iowa	9	5.5	86
Charlotte-Mecklenburg Co., N.C.	104	27.8	18
Chattanooga-Hamilton Co., Tenn.	64	23.8	25
Colorado Springs-El Paso Co., Colo.	11	3.5	92
Columbia, S.C.	55	48.4	4
Columbus-Muscogee Co., Ga.	20	11.7	62
Corpus Christi, Tex.	49	22.2	28
Dearborn, Mich.	17	16.9	43
Des Moines-Polk Co., Iowa	22	7.4	80
Duluth, Minn.	8	8.2	78
Elizabeth, N.J.	32	27.9	17
Erie, Pa.	13	10.0	69
Evansville-Vanderburgh Co., Ind.	20	12.3	60
Fall River, Mass.	21	20.9	33
Flint, Mich.	28	15.4	47
Ft. Lauderdale, Fla.	90	57.9	3
Ft. Wayne-Allen Co., Ind.	35	12.0	61
Fremont, Cal.	4	3.4	93
Fresno, Cal.	39	22.2	29
Garden Grove, Cal.	10	8.4	77
Gary, Ind.	51	28.4	14
Glendale, Cal.	20	15.1	48
Grand Rapids, Mich.	37	19.4	38
Greensboro-Guilford Co., N.C.	31	10.4	66
Hammond, Ind.	10	9.5	72
Hampton, Va.	13	10.3	67
Hartford, Conn.	30	19.3	39
Hollywood, Fla.	25	20.3	35
Huntington Beach, Cal.	7	4.8	89
Huntsville-Madison Co., Ala.	31	13.9	55
Jackson-Hinds Co., Miss.	57	25.4	23
Kansas City, Kans.	16	9.1	75
Knoxville-Knox Co., Tenn.	62	21.3	32
Lansing, Mich.	19	14.9	49
Las Vegas-Clark Co., Nev.	18	5.4	87
Lexington-Fayette Co., Ky.	64	34.7	10
Lincoln, Nebr.	4	2.3	94
Little Rock, Ark.	36	24.6	24

TABLE 18 (Cont.)
*Tuberculosis Cases
and Case Rates:
Cities of 100,000
to 250,000
Population, 1975*

Cities	Tuberculosis Cases		
	Number	Rate	Rate Rank Order
Livonia, Mich.	0	—	95
Lubbock, Tex.	10	6.4	84
Macon-Bibb Co., Ga.	40	27.5	22
Madison, Wisc.	8	4.7	90
Mobile-Mobile Co., Ala.	68	21.3	30
Montgomery-Montgomery Co., Ala.	69	41.3	7
New Bedford, Mass.	20	19.9	36
New Haven, Conn.	24	17.9	40
Newport News, Va.	40	29.3	13
Parma, Ohio	5	4.9	88
Pasadena, Cal.	18	16.5	45
Paterson, N.J.	96	64.4	2
Peoria, Ill.	12	9.4	73
Portsmouth, Va.	31	28.3	15
Providence, R.I.	36	21.3	31
Raleigh-Wake Co., N.C.	44	17.1	42
Richmond, Va.	90	38.6	9
Riverside, Cal.	22	14.5	52
Rockford, Ill.	17	11.4	63
St. Petersburg-Pinellas Co., Fla.	112	16.8	44
Salt Lake City, Utah	14	7.3	82
San Bernardino, Cal.	30	28.2	16
Santa Ana, Cal.	48	27.5	21
Savannah-Chatham Co., Ga.	72	39.1	8
Scranton, Pa.	14	14.4	53
Shreveport, La.	38	19.4	37
South Bend-St. Joseph Co., Ind.	22	9.1	74
Spokane, Wash.	48	27.6	19
Springfield, Mass.	25	14.8	50
Springfield-Greene Co., Mo.	17	10.1	68
Stamford, Conn.	14	13.0	57
Stockton, Cal.	75	64.8	1
Syracuse, N.Y.	41	23.0	27
Tacoma, Wash.	37	23.6	26
Topeka, Kans.	16	11.4	64
Torrance, Cal.	18	13.4	56
Trenton, N.J.	46	43.1	6
Virginia Beach, Va.	19	9.1	76
Warren, Mich.	17	9.7	71
Waterbury, Conn.	7	6.3	85
Winston-Salem-Forsyth Co., N.C.	46	20.6	34
Woodbridge Township, N.J.	8	7.9	79
Worcester, Mass.	27	15.7	46
Yonkers, N.Y.	20	9.9	70
Youngstown, Ohio	47	33.8	11
Total — 95 Cities	2,958	18.3	—
Ponce, P.R.*	16	9.2	—

* Not included in totals.

Note: County data are shown when information for principal city is not reported separately.

TABLE 19
Tuberculosis Cases
and Deaths, United
States, 1953-1975

Year	Tuberculosis Cases				Tuberculosis Deaths			
	Number	Rate	% Change		Number	Rate	% Change	
			Number	Rate			Number	Rate
1953	84,304	53.0	19,707	12.4
1954	79,775	49.3	-5.4	- 7.0	16,527	10.2	-16.1	-17.7
1955	77,368	46.9	-3.0	- 4.9	15,016	9.1	- 9.1	-10.8
1956	69,895	41.6	-9.7	-11.3	14,137	8.4	- 5.9	- 7.7
1957	67,149	39.2	-3.9	- 5.8	13,390	7.8	- 5.3	- 7.1
1958	63,534	36.5	-5.4	- 6.9	12,417	7.1	- 7.3	- 9.0
1959	57,535	32.5	-9.4	-11.0	11,474	6.5	- 7.6	- 8.5
1960	55,494	30.8	-3.5	- 5.2	10,866	6.0	- 5.3	- 7.7
1961	53,726	29.4	-3.2	- 4.5	9,938	5.4	- 8.5	-10.0
1962	53,315	28.7	-0.8	- 2.4	9,506	5.1	- 4.3	- 5.6
1963	54,042	28.7	+1.4	0.0	9,311	4.9	- 2.1	- 3.9
1964	50,874	26.6	-5.9	- 7.3	8,303	4.3	-10.8	-12.2
1965	49,016	25.3	-3.7	- 4.9	7,934	4.1	- 4.4	- 4.7
1966	47,767	24.4	-2.5	- 3.6	7,625	3.9	- 3.9	- 4.9
1967	45,647	23.1	-4.4	- 5.3	6,901	3.5	- 9.5	-10.3
1968	42,623	21.3	-6.6	- 7.8	6,292	3.1	- 8.8	-11.4
1969	39,120	19.4	-8.2	- 8.9	5,567	2.8	-11.5	- 9.7
1970	37,137	18.3	-5.1	- 5.7	5,217	2.6	- 6.3	- 7.1
1971	35,217	17.1	-5.2	- 6.6	4,501	2.2	-13.7	-15.4
1972	32,882	15.8	-6.6	- 7.6	4,376	2.1	- 2.8	- 4.5
1973	30,998	14.8	-5.7	- 6.3	3,875	1.8	-11.4	-14.3
1974	30,122	14.2	-2.8	- 4.1	3,513	1.7	- 9.3	- 5.6
1975	33,989	15.9	-	-	3,300*	1.5	- 6.1	-11.8

* Provisional. Deaths for 1975 are based on the NCHS ten percent sample of death certificates.

Note: The diagnostic and classification changes which became effective in January 1975, made 1975 data incomparable with previous years. Therefore no percentage change figures were calculated for tuberculosis cases in 1975.

